FIG. 1

F I G. 2

EXE (23)	CODE		28
	DATA		29
	Import Address Table (22)	A.DLL (21)	Func AA Address — 30
			Func AB Address — 31
			Func AC Address — 32
		B.DLL (24)	Func BA Address — 33
			Func BB Address — 34
			Func BC Address — 35
DLL (27)	A.DLL (25)		Func AA Code — 36
			Func AB Code — 37
			Func AC Code — 38
	B.DLL (26)		Func BA Code — 39
			Func BB Code — 40
			Func BC Code — 41
		⋮	

FIG. 3

EXE (51)	\multicolumn{3}{c}{CODE}	~59
	\multicolumn{3}{c}{DATA}	~60

EXE	Import Address Table	A.DLL	Func CAA Address	~61
			Func CAB Address	~62
			Func CAC Address	~63
		B.DLL	Func CBA Address	~64
			Func CBB Address	~65
			Func CBC Address	~66
DLL	A.DLL		Func AA Code	~67
			Func AB Code	~68
			Func AC Code	~69
	B.DLL		Func BA Code	~70
			Func BB Code	~71
			Func BC Code	~72
	C.DLL		Func CAA Code (Call Fcnk AA)	~73
			Func CAB Code (Call Fcnk AB)	~74
			Func CAC Code (Call Fcnk AC)	~75
			Func CBA Code (Call Fcnk BA)	~76
			Func CBB Code (Call Fcnk BB)	~77
			Func CBC Code (Call Fcnk BC)	~78

CODE ~59
DATA ~60

Reference labels: 51, 52, 53, 54, 55, 56, 57, 58

:

FIG. 4A

91 EXE

Call Func AA **94**

92 C.DLL (IAT Patch Code)

95

SAVE DLL NAME/
FUNCTION NAME
SAVE CALL TIME
SAVE PARAMETER
SAVE MEMORY CONTENTS
DESIGNATED BY POINTER

Call Func AA **96**

93 A.DLL

97

Func AA PROCESS

Return **98**

99

SAVE Return TIME
SAVE PARAMETER/
RETURN VALUE
SAVE MEMORY CONTENTS
DESIGNATED BY POINTER

100

WRITE SAVED
CONTENTS IN LOG FILE

Return **101**

F I G. 4B

```
┌──────────────────────────────────────────┐
│         LOG ACQUISITION PROCESS          │ ～ S401
└──────────────────────────────────────────┘
                    │
                    ▼
┌──────────────────────────────────────────┐
│     SAVE DLL NAME (C.DLL)/FUNCTION       │ ～ S402
│        NAME (Func CAA) IN HDD            │
└──────────────────────────────────────────┘
                    │
                    ▼
┌──────────────────────────────────────────┐
│   SAVE CALL TIME, PARAMETER, AND MEMORY  │
│         CONTENTS DESIGNATED              │ ～ S403
│      BY POINTER PARAMETER IN HDD         │
└──────────────────────────────────────────┘
                    │
                    ▼
┌──────────────────────────────────────────┐
││       CALL ORIGINAL FUNCTION Func CAA  ││ ～ S404
└──────────────────────────────────────────┘
                    │
                    ▼
┌──────────────────────────────────────────┐
│  SAVE RETURN TIME, RETURN VALUE, AND MEMORY│
│          CONTENTS DESIGNATED             │ ～ S405
│      BY POINTER PARAMETER IN HDD         │
└──────────────────────────────────────────┘
                    │
                    ▼
            ┌──────────────┐
            │     END      │ ～ S406
            └──────────────┘
```

F I G. 5

111

FUNCTION DEFINITION
(DEFINITION OF
DLL NAME/
FUNCTION NAME/
PARAMETER/
RETURN VALUE, ETC.)

112

TRACE SCENARIO
(SETUP ABOUT
DLL AND FUNCTION
TO BE TRACED)

113

EXECUTION FILE EXE
(MODULE THAT CALLS
FUNCTION OF DLL)

114

API TRACER
(WHICH HOOKS
FUNCTION CALL
BY IAT Patch AND
GENERATES LOG)

115

PROCESSING LOG
(LOG OF CALL
TO DLL BY EXE)

LIBRARY DDL-1
(DYNAMIC LINK
LIBRARY THAT
PROVIDES FUNCTION)

116

LIBRARY DDL-2
(DYNAMIC LINK
LIBRARY THAT
PROVIDES FUNCTION)

117

F I G. 6

118	Interface A VTable	Method AA Address ~124
119		Method AB Address ~125
		Method AC Address ~126
120	Interface B VTable	Method BA Address ~127
		Method BB Address ~128
		Method BC Address ~129
121	Interface A	Method AA Code ~130
		Method AB Code ~131
		Method AC Code ~132
	Interface B	Method BA Code ~133
		Method BB Code ~134
122		Method BC Code ~135

EXE

COM Server 123

118 119 120 121 122 123

F I G. 7

136	EXE	Interface A' VTable	Method A' A Address ~145
137			Method A' B Address ~146
			Method A' C Address ~147
138		Interface B' VTable	Method B' A Address ~148
			Method B' B Address ~149
			Method B' C Address ~150
139	COM Server	Interface A	Method AA Code ~151
			Method AB Code ~152
			Method AC Code ~153
141		Interface B	Method BA Code ~154
			Method BB Code ~155
140			Method BC Code ~156
			• •
142	DLL	Interface A'	Method A' A Code (Call Method AA) ~157
			Method A' B Code (Call Method AB) ~158
143			Method A' C Code (Call Method AC) ~159
		Interface B'	Method B' A Code (Call Method BA) ~160
			Method B' B Code (Call Method BB) ~161
144			Method B' C Code (Call Method BC) ~162

FIG. 8A

EXE 163

Call Method AA 166

DLL 164
(VTable Patch Code)

SAVE MODULE NAME/ 167
INTERFACE NAME/METHOD NAME
SAVE CALL TIME
SAVE PARAMETER
SAVE MEMORY CONTENTS
DESIGNATED BY POINTER

Call Method AA 168

COM SERVER 165

Interface A

Method AA PROCESS 169

Return. 170

SAVE Return TIME 171
SAVE PARAMETER/
RETURN VALUE
SAVE MEMORY CONTENTS
DESIGNATED BY POINTER

WRITE SAVED 172
CONTENTS IN LOG FILE

Return 173

FIG. 8B

```
( LOG ACQUISITION PROCESS )──S801
            │
            ▼
┌───────────────────────────────────────┐
│ SAVE MODULE NAME/INTERFACE NAME (Interface A) │──S802
│      /METHOD NAME (Method AA) IN HDD          │
└───────────────────────────────────────┘
            │
            ▼
┌───────────────────────────────────────┐
│   SAVE CALL TIME, PARAMETER, AND MEMORY │
│        CONTENTS DESIGNATED              │──S803
│     BY POINTER PARAMETER IN HDD         │
└───────────────────────────────────────┘
            │
            ▼
┌───────────────────────────────────────┐
││     CALL ORIGINAL METHOD (Method AA)  ││──S804
└───────────────────────────────────────┘
            │
            ▼
┌───────────────────────────────────────┐
│ SAVE RETURN TIME, RETURN VALUE, AND MEMORY │
│        CONTENTS DESIGNATED              │──S805
│     BY POINTER PARAMETER IN HDD         │
└───────────────────────────────────────┘
            │
            ▼
        ( END )──S806
```

FIG. 9

174

FUNCTION DEFINITION
(DEFINITION OF
MODULE NAME/
INTERFACE NAME/
METHOD NAME/PARAMETER/
RETURN VALUE, ETC.)

175

TRACE SCENARIO
(SETUP ABOUT
MODULE AND METHOD
TO BE TRACED)

176

EXECUTION FILE EXE
(MODULE THAT
CALLS METHOD
OF COM SERVER)

177

API TRACER
(WHICH HOOKS
METHOD CALL
BY VTable Patch AND
GENERATES LOG)

178

PROCESSING LOG
(LOG OF CALL
TO COM BY EXE)

COM SERVER-1
(COM SERVER
THAT PROVIDES
METHOD)

179

COM SERVER-2
(COM SERVER
THAT PROVIDES
METHOD)

180

F I G. 10

Interface NAME :   Interface A
Method NAME : Method AA
ARGUMENT :   DWORD dwID
RETURN VALUE :   DWORD dwRet

Interface NAME :   Interface A
Method NAME : Method AB
ARGUMENT :   DWORD dwSize
RETURN VALUE :   int nRet

Interface NAME :   Interface A
Method NAME : Method AC
ARGUMENT :   DWORD dwSize
RETURN VALUE :   DWORD dwRet

Interface NAME :   Interface B
Method NAME : Method BA
ARGUMENT :   DWORD dwSize
RETURN VALUE :   int nRet

Interface NAME :   Interface B
Method NAME : Method BC
ARGUMENT :   DWORD dwID
RETURN VALUE :   DWORD dwRet

F I G. 11

Interface NAME :   Interface A
Method NAME : Method AA
ARGUMENT :   DWORD dwID : 256
RETURN VALUE :   DWORD dwRet : 0
In TIME :   2002/03/25 22 : 24 : 12. 025
Out TIME :   2002/03/25 22 : 24 : 12. 035

Interface NAME :   Interface B
Method NAME : Method BA
ARGUMENT :   DWORD dwSize : 512
RETURN VALUE :   int nRet : -1
In TIME :   2002/03/25 22 : 24 : 12. 046
Out TIME :   2002/03/25 22 : 24 : 12. 057

Interface NAME :   Interface B
Method NAME : Method BC
ARGUMENT :   DWORD dwID : 12
RETURN VALUE :   DWORD dwRet : 2
In TIME :   2002/03/25 22 : 24 : 12. 068
Out TIME :   2002/03/25 22 : 24 : 12. 079

...

FIG. 12

App. exe — 1200

1201 — ModuleA. dll

ModuleB. dll — 1202

1203 — ModuleC. dll

1204 — [OS Surface]

1205 — Kernel32. dll

1206 — User32. dll

1207 — GDI32. dll

Ntdll. dll — 1208

Ws2_32. dll — 1209

Unidrv. dll — 1210

F I G. 13

1300

Kernel32.dll

GDI32.dll

User32.dll

Advapi32.dll

...

F I G. 14

```
        ( START )──S1400
             │
             ▼
  ┌──────────────────────┐
  │ ACQUIRE OS MODULE LIST │──S1401
  └──────────────────────┘
             │
             ▼
  ┌──────────────────────┐
  │   SEARCH OS MODULE LIST │──S1402
  │   FOR CALL SOURCE MODULE │
  └──────────────────────┘
             │
             ▼  ──S1403
        ╱ CALL SOURCE = ╲      YES
       ╱  OS MODULE?    ╲──────────────┐
        ╲              ╱               │
         ╲            ╱                ▼  ──S1409
           NO │  ──S1404         ┌──────────────────────┐
             ▼                   │ ADD CALL DESTINATION MODULE │
  ┌──────────────────────┐       │      TO OS MODULE LIST │
  │ SAVE DLL NAME/Interface NAME/│  └──────────────────────┘
  │ FUNCTION NAME/Method NAME/   │            │
  │ CALL TIME IN HDD            │            ▼  ──S1410
  └──────────────────────┘        ┌──────────────────────┐
             │                    │  CALL ORIGINAL FUNCTION │
             ▼                    └──────────────────────┘
  ┌──────────────────────┐                  │
  │   SAVE PARAMETER IN HDD │──S1405         │
  └──────────────────────┘                  │
             │                              │
             ▼                              │
  ┌──────────────────────┐                  │
  │  CALL ORIGINAL FUNCTION │──S1406         │
  └──────────────────────┘                  │
             │                              │
             ▼                              │
  ┌──────────────────────┐                  │
  │ SAVE DLL NAME/Interface NAME/│──S1407     │
  │ FUNCTION NAME/Method NAME/   │           │
  │ END TIME IN HDD            │           │
  └──────────────────────┘                  │
             │                              │
             ▼                              │
  ┌──────────────────────┐                  │
  │   SAVE PARAMETER/     │──S1408           │
  │   RETURN VALUE IN HDD │                  │
  └──────────────────────┘                  │
             │◄─────────────────────────────┘
             ▼
  ┌──────────────────────┐
  │   Return PROCESS OF   │──S1411
  │   FUNCTION/METHOD     │
  └──────────────────────┘
             │
             ▼  ──S1412
        ╱              ╲    NO
       ╱ END COMMAND?  ╲────────┐
        ╲            ╱          │
         ╲          ╱           │
          YES │                 │
             ▼                  │
        ( END )──S1413
```

F I G. 15A

1500

MODULE NAME	ModuleA. dll
FUNCTION NAME :	FuncA
In ARGUMENT :	int nIndex : 3
Out ARGUMENT :	DWORD * nRet : 0x007a61c0/0x0000000a(10)
RETURN VALUE :	int : 0
In TIME :	2002/03/25 22 : 24 : 12. 025
Out TIME :	2002/03/25 22 : 24 : 12. 035
MODULE NAME	Kernel32. dll
FUNCTION NAME :	FuncB
In ARGUMENT :	int nIndex : 1
Out ARGUMENT :	DWORD * nRet : 0x007a625c/0x0000000b(11)
RETURN VALUE :	int : 0
In TIME :	2002/03/25 22 : 24 : 12. 046
Out TIME :	2002/03/25 22 : 24 : 12. 057
MODULE NAME	ModuleB. dll
FUNCTION NAME :	FuncD
In ARGUMENT :	int nIndex : 4
Out ARGUMENT :	DWORD * nRet : 0x007b61c0/0x0000000d(13)
RETURN VALUE :	int : 0
In TIME :	2002/03/25 22 : 24 : 12. 089
Out TIME :	2002/03/25 22 : 24 : 13. 000
MODULE NAME	User32. dll
FUNCTION NAME :	FuncE
In ARGUMENT :	int nIndex : 6
Out ARGUMENT :	DWORD * nRet : 0x002a61c0/0x0000000e(14)
RETURN VALUE :	int : 0
In TIME :	2002/03/25 22 : 24 : 13. 011
Out TIME :	2002/03/25 22 : 24 : 13. 022

...

1300

MODULE NAME   ModuleA. dll
FUNCTION NAME :   FuncA
In ARGUMENT :   int nIndex :   3
Out ARGUMENT :   DWORD * nRet : 0x007a61c0/0x0000000a(10)
RETURN VALUE :   int :   0
In TIME :   2002/03/25 22 : 24 : 12. 025
Out TIME :   2002/03/25 22 : 24 : 12. 035

MODULE NAME   Kernel32. dll
FUNCTION NAME :   FuncB
In ARGUMENT :   int nIndex :   1
Out ARGUMENT :   DWORD * nRet : 0x007a625c/0x0000000b(11)
RETURN VALUE :   int :   0
In TIME :   2002/03/25 22 : 24 : 12. 046
Out TIME :   2002/03/25 22 : 24 : 12. 057

MODULE NAME   Mtdll. dll
FUNCTION NAME :   FuncC
In ARGUMENT :   int nIndex :   2
Out ARGUMENT :   DWORD * nRet : 0x007a6122/0x0000000c(12)
RETURN VALUE :   int :   0
In TIME :   2002/03/25 22 : 24 : 12. 068
Out TIME :   2002/03/25 22 : 24 : 12. 079

MODULE NAME   ModuleB. dll
FUNCTION NAME :   FuncD
In ARGUMENT :   int nIndex :   4
Out ARGUMENT :   DWORD * nRet : 0x007b61c0/0x0000000d(13)
RETURN VALUE :   int :   0
In TIME :   2002/03/25 22 : 24 : 12. 089
Out TIME :   2002/03/25 22 : 24 : 13. 000

MODULE NAME   User32. dll
FUNCTION NAME :   FuncE
In ARGUMENT :   int nIndex :   6
Out ARGUMENT :   DWORD * nRet : 0x002a61c0/0x0000000e(14)
RETURN VALUE :   int :   0
In TIME :   2002/03/25 22 : 24 : 13. 011
Out TIME :   2002/03/25 22 : 24 : 13. 022

MODULE NAME   Ws2_32. dll
FUNCTION NAME :   FuncF
In ARGUMENT :   int nIndex :   5
Out ARGUMENT :   DWORD * nRet : 0x002a6dc0/0x0000000f(15)
RETURN VALUE :   int :   0
In TIME :   2002/03/25 22 : 24 : 13. 034
Out TIME :   2002/03/25 22 : 24 : 13. 055

...

F I G. 16

1600

GDI32.dll

...

FIG. 17

START — S1700

ACQUIRE OS MODULE LIST — S1701

ACQUIRE EXCEPTION MODULE LIST — S1702

SEARCH TWO MODULE LISTS FOR CALL SOURCE MODULE — S1703

S1704
CALL SOURCE = OS MODULE? — NO / YES

S1705
CALL SOURCE = EXCEPTION MODULE? — NO / YES

S1706
SAVE DLL NAME/Interface NAME/ FUNCTION NAME/Method NAME/ CALL TIME IN HDD

S1711
ADD CALL DESTINATION MODULE TO OS MODULE LIST

S1707
SAVE PARAMETER IN HDD

S1712
CALL ORIGINAL FUNCTION

S1708
CALL ORIGINAL FUNCTION

SAVE DLL NAME/Interface NAME/ FUNCTION NAME/Method NAME/ END TIME IN HDD — S1709

SAVE PARAMETER/ RETURN VALUE IN HDD — S1710

Return PROCESS OF FUNCTION/METHOD — S1713

S1714
END COMMAND? — NO

YES

END — S1715

```
[
    uuid(58DB5633-0694-4340-97CE-4E1AC6BFFBA7),        //TestDllStd.
    helpstring("TestDllStd Type Library For PAT"),
    version(1.0)
]

library TestDllStd
{
        typedef [public] struct
        {
                char chParam;
                unsigned char uchParam;
                short sParam;
                unsigned short usParam;
                int nParam;
                unsigned int unParam;
                long lParam;
                unsigned long ulParam;
                double dbParam;
                float fParam;
        } TESTSTRUCT;
        typedef [public] TESTSTRUCT *LPTESTSTRUCT;

//DEFINE_GUID(GUID_PROGID, 0x8e037d65, 0xefa0, 0x40e7, 0x91, 0x43, 0xef,0x70, 0x56, 0x94, 0x5b,
0x79);
  [
    uuid(8E037D65-EFA0-40e7-9143-EF7056945B79),
    helpstring("TestDllStd.dll for PAT object." ),
  ]
        interface
        test
        {
                char _stdcall FuncCharStd([in] char chParam);
                char* _stdcall FuncPCharStd([in, out] char* lpchParam);

                TESTSTRUCT _stdcall FuncStructStd([in]TESTSTRUCT TestStruct);
                LPTESTSTRUCT _stdcall FuncPStructStd([in, out]LPTESTSTRUCT lpTestStruct);
        };

}
```

F I G. 19

```
                                                              1900
#define PAT_PARAM_ATTR_ID 00000000-0000-0000-0000-000000000000

typedef [public] struct
{                                                             1901
        char chParam1;
        [custom(PAT_PARAM_ATTR_ID, "structsizeextra_is()")] long cExtraBinaryDataSize;
        char chParam2;
        char chParam3;
} TESTSTRUCT_WITHEXTRA;


interface
test
{
        void FuncStructsizeextraIs
        (                                       1902
                [out] TESTSTRUCT_WITHEXTRA* lpParam
        );
};
```

F I G. 20

2001 2000

0X01F7B000

char chParam1

0X01F7B001

long cExtraBinaryDataSize 2002

0X01F7B005 2003

char chParam2

0X01F7B006 2004

char chParam3

0X01F7B007

HEAD OF BYTE ExtraBinaryData
...

2005

TESTSTRUCT_WITHEXTRA

(BYTE DATA ARE PRESENT IN
CORRESPONDENCE WITH
NUMBER OF cExtraBinaryData)

...

END OF BYTE ExtraBinaryData

0X01F7B007+
[VALUE OF cExtraBinaryData]

F I G. 21

START ～S2100

SAVE MODULE NAME/INTERFACE NAME/ FUNCTION NAME/METHOD NAME IN MEMORY ～S2101

SAVE CALL TIME, PARAMETER, AND MEMORY CONTENTS DESIGNATED BY POINTER PARAMETER IN HDD ～S2102

S2103
DOES FUNCTION DEFINITION INCLUDE SETUP OF structsizeextra_is? — NO

↓YES

CALCULATE SIZE OF STRUCTURE ～S2104

SAVE ADDITIONAL DATA BY SIZE OF MEMBER VALUE INDICATED BY structsizeextra_is ～S2105

CALL ORIGINAL FUNCTION ～S2106

SAVE RETURN TIME, RETURN VALUE, AND MEMORY CONTENTS DESIGNATED BY POINTER PARAMETER IN HDD ～S2107

S2108
DOES FUNCTION DEFINITION INCLUDE SETUP OF structsizeextra_is? — NO

↓YES

CALCULATE SAVE MEMORY SIZE ～S2109

SAVE ADDITIONAL DATA BY SIZE OF MEMBER VALUE INDICATED BY structsizeextra_is ～S2110

S2111
END COMMAND? — NO

↓YES

END ～S2112

2200

```
MODULE NAME :      TestDllStd.DLL
FUNCTION NAME :    Func Structsizeextrals
ARGUMENT (in) :
ARGUMENT (out) :   struct TESTSTRUCT_WITHEXTRA :
                       char chParam1 : "a"
                       long cExtraBinaryDataSize: 8
                       char chParam2 : "b"
                       char chParam3 : "c"
                       ExtraBinaryData : 0x01F7B007. Data ID=0x0001
RETURN VALUE :     void :
In TIME :          2002/03/25 22 : 24 : 12. 025
Out TIME :         2002/03/25 22 : 24 : 12. 035
MODULE NAME :      TestDllStd.DLL
FUNCTION NAME :    Func Structsizeextrals
ARGUMENT (in) :
ARGUMENT (out) :   struct TESTSTRUCT_WITHEXTRA :
                       char chParam1 : "d"
                       long cExtraBinaryDataSize: 40
                       char chParam2 : "e"
                       char chParam3 : "f"
                       ExtraBinaryData : 0x01F7B007. Data ID=0x0002
RETURN VALUE :     void :
In TIME :          2002/03/25 22 : 24 : 12. 046
Out TIME :         2002/03/25 22 : 24 : 12. 057
MODULE NAME :      TestDllStd.DLL
FUNCTION NAME :    Func Structsizeextrals
ARGUMENT (in) :
ARGUMENT (out) :   struct TESTSTRUCT_WITHEXTRA :
                       char chParam1 : "g"
                       long cExtraBinaryDataSize: 5
                       char chParam2 : "h"
                       char chParam3 : "i"
                       ExtraBinaryData : 0x01F7B007. Data ID=0x0003
RETURN VALUE :     void :
In TIME :          2002/03/25 22 : 24 : 12. 068
Out TIME :         2002/03/25 22 : 24 : 12. 079
MODULE NAME :      TestDllStd.DLL
FUNCTION NAME :    Func Structsizeextrals
ARGUMENT (in) :
ARGUMENT (out) :   struct TESTSTRUCT_WITHEXTRA :
                       char chParam1 : "j"
                       long cExtraBinaryDataSize: 7
                       char chParam2 : "k"
                       char chParam3 : "l"
                       ExtraBinaryData : 0x01F7B007. Data ID=0x0004
RETURN VALUE :     void :
In TIME :          2002/03/25 22 : 24 : 12. 100
Out TIME :         2002/03/25 22 : 24 : 12. 179
...
```

2201

```
Data ID: 0x0001
Size: 8


00000000: 10 00 00 00 4A 03 A5 20

Data ID: 0x0002
Size: 40


00000000: 05 00 00 00 4A 03 A5 20
00000008: 05 00 00 00 4B 03 A5 20
00000010: 05 00 00 00 4C 03 A5 20
00000018: 05 00 00 00 4D 03 A5 20
00000020: 05 00 00 00 4E 03 A5 20

Data ID: 0x0003
Size: 40


00000000: 66 4A 70 50 00

Data ID: 0x0004
Size: 7


00000000: 01 5D 66 B2 20 49 20

...
```

F I G. 23

```
                                                            ⌐2300
#define PAT_PARAM_ATTR_ID 00000000-0000-0000-0000-000000000000

typedef [public] struct
{                                                    ⌐2301
        char chParam1;
        [custom(PAT_PARAM_ATTR_ID, "ptrdiff()")] LPSTR lpszString;
        [custom(PAT_PARAM_ATTR_ID, "ptrdiff()")] long nNumber;
        char chParam2;                       ⌐2302
} TESTSTRUCT_WITHPTRDIFF;

interface
test
{
        void FuncPtrdiff
        (                                    ⌐2303
                [in] TESTSTRUCT_WITHPTRDIFF* lpParam
        );
};
```

F I G. 24

Address	Content	Ref
0X01F7B000	char chParam1	2401 / 2400
0X01F7B001	OFFSET (= X) FROM HEAD OF STRUCTURE TO LPSTR lpszString	2402
0X01F7B005	OFFSET (= Y) FROM HEAD OF STRUCTURE TO long nNumber	2403
0X01F7B009	char chParam2	2404
0X01F7B00A	...	
0X01F7B000 + X	HEAD OF LPSTR lpszString ... (CHARACTER STRING DATA ARE PRESENT UNTIL DATA = NULL) ... NULL (END OF LPSTR lpszString)	2405
	...	
0X01F7B000 + Y	INSTANCE OF long nNumber	2406

TESTSTRUCT_WITHPTRDIFF

F I G. 25

START ~ S2501

SAVE MODULE NAME/INTERFACE NAME/
FUNCTION NAME/METHOD NAME IN MEMORY ~ S2502

SAVE CALL TIME, PARAMETER,
AND MEMORY CONTENTS
DESIGNATED BY POINTER PARAMETER IN HDD ~ S2503

S2504
DOES FUNCTION
DEFINITION INCLUDE
SETUP OF ptrdiff? — NO

↓ YES

CALCULATE ADDRESS OF INSTANCE ~ S2505

SAVE DATA OF INSTANCE AS
MEMBER TYPE INDICATED BY ptrdiff IN HDD ~ S2506

CALL ORIGINAL FUNCTION ~ S2507

SAVE RETURN TIME, RETURN VALUE,
AND MEMORY CONTENTS
DESIGNATED BY POINTER PARAMETER IN HDD ~ S2508

S2509
DOES FUNCTION
DEFINITION INCLUDE
SETUP OF ptrdiff? — NO

↓ YES

CALCULATE ADDRESS OF INSTANCE ~ S2510

SAVE DATA OF INSTANCE AS
MEMBER TYPE INDICATED BY ptrdiff IN HDD ~ S2511

S2512
END COMMAND? — NO

↓ YES

END ~ S2513

```
MODULE NAME :              TestDllStd.DLL
FUNCTION NAME :            FuncPtrdiff
ARGUMENT (in) :            struct TESTSTRUCT_WITHPTRDIFF :
                              char chParam1 : "a"
                              Offset to LPSTR lpszString : 16
                              LPSTR lpszString : "Test1"
                              Offset to long nNumber : 28
                              long nNumber : 1
                              char chParam3 : "b"

ARGUMENT (out) :
RETURN VALUE :            void :
In TIME :                 2002/03/25  22 : 24 : 12. 025
Out TIME :                2002/03/25  22 : 24 : 12. 035
MODULE NAME :             TestDllStd.DLL
FUNCTION NAME :           FuncPtrdiff
ARGUMENT (in) :           struct TESTSTRUCT_WITHPTRDIFF :
                              char chParam1 : "c"
                              Offset to LPSTR lpszString : 18
                              LPSTR lpszString : "Test2"
                              Offset to long nNumber : 30
                              long nNumber : 2
                              char chParam3 : "d"

ARGUMENT (out) :
RETURN VALUE :            void :
In TIME :                 2002/03/25  22 : 24 : 12. 046
Out TIME :                2002/03/25  22 : 24 : 12. 057
MODULE NAME :             TestDllStd.DLL
FUNCTION NAME :           FuncPtrdiff
ARGUMENT (in) :           struct TESTSTRUCT_WITHPTRDIFF :
                              char chParam1 : "e"
                              Offset to LPSTR lpszString : 20
                              LPSTR lpszString : "Test3"
                              Offset to long nNumber : 32
                              long nNumber : 3
                              char chParam3 : "f"

ARGUMENT (out) :
RETURN VALUE :            void :
In TIME :                 2002/03/25  22 : 24 : 12. 068
Out TIME :                2002/03/25  22 : 24 : 12. 079
MODULE NAME :             TestDllStd.DLL
FUNCTION NAME :           FuncPtrdiff
ARGUMENT (in) :           struct TESTSTRUCT_WITHPTRDIFF :
                              char chParam1 : "g"
                              Offset to LPSTR lpszString : 16
                              LPSTR lpszString : "Test4"
                              Offset to long nNumber : 28
                              long nNumber : 29
                              char chParam3 : "h"

ARGUMENT (out) :
RETURN VALUE :            void :
In TIME :                 2002/03/25  22 : 24 : 12. 100
Out TIME :                2002/03/25  22 : 24 : 12. 179
...
```

F I G. 27

```
                                              2700
#define PAT_PARAM_ATTR_ID 00000000-0000-0000-0000-000000000000

interface test ;              2701

typedef struct  tagGUID {
        unsigned  long  Data1 ;
        unsigned  short  Data2 ;
        unsigned  short  Data3 ;
        unsigned  char  Data4[ 8 ] ;
} GUID ;


interface  test {
        HRESULT  _stdcall  DllGetClassObject (          2702
                [ in, custom(PAT_PARAM_ATTR_ID, "clsid_( )" ) ] GUID* rctsid,
                [ in ] GUID* riid,
                [ out, custom(PAT_PARAM_ATTR_ID, "iid_is(riid)" ) ] void** ppv) ;
};
                                                        2703
```

F I G. 28

```
                                    2800
interface IGetInfo : IUnknown
{
        HRESULT  GetName(
                    [ in ]          DWORD        dwID,
                    [out]           LPSTR        lpszName
        ) ;
        HRESULT  FreeNameBuffer (
                    [ in ]          LPSTR        lpszName
        ) ;
} ;
```

F I G. 29

START — S2900

SAVE DLL NAME/
Interface NAME/
FUNCTION NAME/
Method NAME/
CALL TIME IN HDD — S2901

SAVE PARAMETER IN HDD — S2902

S2903
IS Ref-IID DESIGNATED IN INPUT PARAMETER?

— YES → SAVE Ref-IID — S2904

S2905 NO

CALL ORIGINAL FUNCTION

CHECK IF Ref-IID IS SAVED — S2909

S2906
SAVE DLL NAME/
Interface NAME/
FUNCTION NAME/
Method NAME/
END TIME IN HDD

S2910
Ref-IID SAVED? — YES

S2907
SAVE PARAMETER/
RETURN VALUE IN HDD

NO ↓ S2911
GENERATE LOG ACQUISITION CODE ON MEMORY AS INTERFACE DESIGNATED BY INTERFACE ID

S2913
GENERATE LOG ACQUISITION CODE ON MEMORY AS INTERFACE DERIVED TO SAVED Ref-IID

S2908
IS OUTPUT PARAMETER OR RETURN VALUE DEFINED AS INTERFACE? — YES

S2912
REWRITE OUTPUT PARAMETER OR RETURN VALUE BY MEMORY ADDRESS OF LOG ACQUISITION CODE

S2914
REWRITE OUTPUT PARAMETER OR RETURN VALUE BY MEMORY ADDRESS OF LOG ACQUISITION CODE

NO

Return PROCESS OF FUNCTION/METHOD — S2915

S2916
END COMMAND? — NO

YES

END — S2917

```
MODULE NAME            GetInfo. dll
FUNCTION NAME :        DllGetClassObject                    3000
In ARGUMENT :          GUID * rclsid :   {abce80d7-9f46-11d1-882a-00c04fb961ec}
                       GUID * riid :     {00000001-0000-0000-c000-0000000046}
Out ARGUMENT :         void * *ppv :     0x007a61c0/0x730e13e8(1930302440)
RETURN VALUE :         HRESULT :         0x00000000(0)
In TIME :              2002/03/25  22 : 24 : 12. 025          3002        3001
Out TIME :             2002/03/25  22 : 24 : 12. 035


Interface NAME :       GetInfo
Method NAME :          GetName
In ARGUMENT :          DWORD  dwID :   1
                       LPSTR  lpszName  "Name-1"
RETURN VALUE :         HRESULT :         0x00000000(0)
In TIME :              2002/03/25  22 : 24 : 12. 046
Out TIME :             2002/03/25  22 : 24 : 12. 057


Interface NAME :       GetInfo
Method NAME :          FreeNameBuffer
In ARGUMENT :          LPSTR  lpszName  "Name-1"
RETURN VALUE :         HRESULT :         0x00000000(0)
In TIME :              2002/03/25  22 : 24 : 12. 068
Out TIME :             2002/03/25  22 : 24 : 12. 079


Interface NAME :       GetInfo
Method NAME :          GetName
In ARGUMENT :          DWORD  dwID :   2
                       LPSTR  lpszName  "Name-2"
RETURN VALUE :         HRESULT :         0x00000000(0)
In TIME :              2002/03/25  22 : 24 : 12. 089
Out TIME :             2002/03/25  22 : 24 : 13. 000


Interface NAME :       GetInfo
Method NAME :          FreeNameBuffer
In ARGUMENT :          LPSTR  lpszName  "Name-2"
RETURN VALUE :         HRESULT :         0x00000000(0)
In TIME :              2002/03/25  22 : 24 : 13. 011
Out TIME :             2002/03/25  22 : 24 : 13. 022


...
```

F I G. 31

START — S3100

SAVE DLL NAME/Interface NAME/
FUNCTION NAME/Method NAME/
CALL TIME IN HDD — S3101

SAVE PARAMETER IN HDD — S3102

S3103
IS CLASS
ID DESIGNATED IN INPUT
PARAMETER? — YES — SAVE CLASS ID — S3104

NO

S3105
IS Ref-IID
DESIGNATED IN INPUT
PARAMETER? — YES — SAVE Ref-IID — S3106

NO

CALL ORIGINAL FUNCTION — S3107

SAVE DLL NAME/Interface NAME
/FUNCTION NAME/Method NAME/
END TIME IN HDD — S3108

SAVE PARAMETER/
RETURN VALUE IN HDD — S3109

S3110
IS OUTPUT
PARAMETER OR RETURN
VALUE DEFINED AS
INTERFACE? — YES — PROCESS OF HOOK ROUTINE — S3111

NO

Return PROCESS OF
FUNCTION/METHOD — S3112

S3113
END COMMAND? — NO

YES

END — S3114

F I G. 32

START — S3200

↓

CHECK IF Ref-IID IS SAVED — S3201

↓

S3202
Ref-IID SAVED? — YES →

NO ↓ — S3203

GENERATE LOG ACQUISITION CODE ON MEMORY AS INTERFACE DESIGNATED BY INTERFACE ID

— S3205

GENERATE LOG ACQUISITION CODE ON MEMORY AS INTERFACE DERIVED TO SAVED Ref-IID

↓ S3204

REWRITE OUTPUT PARAMETER OR RETURN VALUE BY MEMORY ADDRESS OF LOG ACQUISITION CODE

↓ S3206

REWRITE OUTPUT PARAMETER OR RETURN VALUE BY MEMORY ADDRESS OF LOG ACQUISITION CODE

↓

S3207
CLASS ID SAVED? — YES →

— S3208

SAVE SAVED CLASS ID IN MEMORY IN ASSOCIATION WITH LOG ACQUISITION CODE

NO ↓

END — S3209

```
MODULE NAME           GetInfo. dll
FUNCTION NAME :       DllGetClassObject                    3300
In ARGUMENT :         GUID * rclsid :   {abce80d7-9f46-11d1-882a-00c04fb961ec}
                      GUID * riid :     {00000001-0000-0000-c000-0000000046}
Out ARGUMENT :        void * *ppv :     0x007a61c0/0x730e13e8(1930302440)
RETURN VALUE :        HRESULT :         0x00000000(0)              3302    3301
In TIME :             2002/03/25  22 : 24 : 12. 025
Out TIME :            2002/03/25  22 : 24 : 12. 035


MODULE NAME           GetInfo. dll      3303
Interface NAME :      GetInfo
Method NAME :         GetName
In ARGUMENT :         DWORD  dwID :   1
                      LPSTR  lpszName  "Name-1"
RETURN VALUE :        HRESULT :         0x00000000(0)
In TIME :             2002/03/25  22 : 24 : 12. 046
Out TIME :            2002/03/25  22 : 24 : 12. 057


MODULE NAME           GetInfo. dll      3304
Interface NAME :      GetInfo
Method NAME :         FreeNameBuffer
In ARGUMENT :         LPSTR  lpszName  "Name-1"
RETURN VALUE :        HRESULT :         0x00000000(0)
In TIME :             2002/03/25  22 : 24 : 12. 068
Out TIME :            2002/03/25  22 : 24 : 12. 079


MODULE NAME           GetInfo. dll      3305
Interface NAME :      GetInfo
Method NAME :         GetName
In ARGUMENT :         DWORD  dwID :   2
                      LPSTR  lpszName  "Name-2"
RETURN VALUE :        HRESULT :         0x00000000(0)
In TIME :             2002/03/25  22 : 24 : 12. 089
Out TIME :            2002/03/25  22 : 24 : 13. 000


MODULE NAME           GetInfo. dll      3306
Interface NAME :      GetInfo
Method NAME :         FreeNameBuffer
In ARGUMENT :         LPSTR  lpszName  "Name-2"
RETURN VALUE :        HRESULT :         0x00000000(0)
In TIME :             2002/03/25  22 : 24 : 13. 011
Out TIME :            2002/03/25  22 : 24 : 13. 022

...
```

```
[
    uuid(58DB5633-0694-4340-97CE-4E1AC6BFFBA7),    //TestDllStd.
    helpstring("TestDllStd Type Library For PAT"),
    version(1.0)
]

library TestDllStd
{
        typedef [public] struct
        {
                char chParam;
                unsigned char uchParam;
                short sParam;
                unsigned short usParam;
                int nParam;
                unsigned int unParam;
                long lParam;
                unsigned long ulParam;
                double dbParam;
                float fParam;
        } TESTSTRUCT;
        typedef [public] TESTSTRUCT *LPTESTSTRUCT;

//DEFINE_GUID(GUID_PROGID, 0x8e037d65, 0xefa0, 0x40e7, 0x91, 0x43, 0xef, 0x70, 0x56, 0x94, 0
0x79);
  [
    uuid(8E037D65-EFAO-40e7-9143-EF7056945B79),
    helpstring("TestDllStd.dll for PAT object." ),
  ]
        interface
        test
        {
                char _stdcall FuncCharStd([in] char chParam);
                char* _stdcall FuncPCharStd([in, out] char* lpchParam);

                TESTSTRUCT _stdcall FuncStructStd([in]TESTSTRUCT TestStruct);
                LPTESTSTRUCT _stdcall FuncPStructStd([in, out]LPTESTSTRUCT lpTestStruct);
        };

}
```

F I G. 35

[Library] ⁓3500
LibraryName=TestDllStd ⁓3501
Patch=C:￥Windows￥System32￥spool￥drivers￥w32x86￥3
ModuleName=UnidrvUlPlugin. dll
... ⁓3502

F I G. 36

```
[Interface]              ⌒3600
InterfaceName=test                    ⌒3601
Patch=C:¥Windows¥System32¥spool¥drivers¥w32x86¥3
ModuleName=UnidrvUIPlugin. dll
...                           ⌒3602
```

F I G. 37

START — S3700

SAVE DLL NAME/Interface NAME/
FUNCTION NAME/Method NAME/
CALL TIME IN HDD — S3701

SAVE PARAMETER IN HDD — S3702

S3703
ADDITIONAL
DEFINITION OF MODULE
NAME AVAILABLE?

YES

S3704
SAVE MODULE NAME IN HDD

NO

CALL ORIGINAL FUNCTION — S3705

SAVE DLL NAME/Interface NAME/
FUNCTION NAME/Method NAME/
END TIME IN HDD — S3706

SAVE PARAMETER/
RETURN VALUE IN HDD — S3707

Return PROCESS OF FUNCTION/METHOD — S3708

S3709
END COMMAND?

NO

YES

END — S3710